



Safety Data Sheet

FONIC WASH PH PLUS (PR-180)

Section 1. Identification

Product Identifier FONIC WASH PH PLUS (PR-180)
Synonyms LIQUID FOAMING DETERGENT
Manufacturer Stock
Numbers N/A

Recommended use PRESOAK, HIGH PRESSURE SOAP
Uses advised against N/A

Manufacturer Contact
Address JBS INDUSTRIES
 2550 HENKLE DR
 LEBANON, OHIO, 45036
 USA

Phone
(513) 228-2800

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(513) 228-2810

Section 2. Hazards Identification

Classification EYE DAMAGE/IRRITATION - Category 2
 SKIN CORROSION/IRRITATION - Category 2

Signal Word Warning

Pictogram



Hazard Statements Causes skin irritation

Precautionary Statements

Response

If on skin: Wash with plenty of water.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.

Prevention

Wash exposed skin, clothes, and hair thoroughly after handling.
Wear protective gloves.

Storage

Store in a closed container

Disposal	Dispose of contents/container according to local, state, and federal laws.
General	IRRITATING TO EYES. INHALATION OF MISTS MAY BE IRRITATING TO THROAT AND RESPIRATORY TRACT. REPEATED CONTACT WITH SKIN CAN REMOVE NATURAL OILS AND CAUSE DRYNESS AND IRRITATION.
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	N/A
	No Data Available

Section 3. Ingredients

CAS	Ingredient Name	Weight %
111-76-2	Ethanol, 2-butoxy-	5% - 10%
1310-73-2	SODIUM HYDROXIDE 50%	5% - 10%
	PROPRIETARY SURFACTANT BLEND	5% - 40%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye	Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.
Skin	Wash with soap and water. Wash clothing separately before reuse.
Ingestion	DO NOT induce vomiting. If vomiting does occur, have the victim lean forward to prevent aspiration. Rinse mouth with water. Seek medical attention. Never give anything by mouth to an unconscious individual.
Inhalation	Move to fresh air. If irritation persists get medical attention.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Material will not burn. Fire fighting procedures appropriate for the surrounding materials.
Unsuitable Extinguishing Media	N/A

Section 6. Accidental Release Measures

Clean-up	Small spills may be diluted and rinsed to sanitary sewer. Large spills should be contained and offered for disposal per state and/or local laws.
----------	--

Section 7. Handling and Storage

Storage	Store in original container at temperatures below 120 degrees F. Product is best if used within 6mths of purchase.
Handling	Spills may cause floor to become slippery
Storage	Do not store in metal containers

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethanol, 2-butoxy-	TWA 20PPM	TWA 50ppm (skin)	N/A
	SODIUM HYDROXIDE 50%	2 mg/m	2 mg/m TWA	N/A
	PROPRIETARY SURFACTANT BLEND	N/A	N/A	N/A
Personal Protective Equipment	N/A			
Eye/Face Protection	Wear safety glasses.			
Engineering controls	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.			
Skin Protection	Neoprene gloves			
Respiratory Protection	Good general ventilation			

Section 9. Physical and Chemical Properties

Physical State	LIQUID
Color	RED
Odor	SLIGHT CHEMICAL ODOR
Odor Threshold	N/A
Solubility	COMPLETE
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1.08
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
Ph	14 @ 1 TO 1
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

Chemical Stability	Stable under recommended storage conditions.
HAZARDOUS POLYMERIZATION:	WILL NOT OCCUR
Conditions To Avoid	Strong Acids
Incompatible Materials	Concentrate will corrode untreated metal.

Section 11. Toxicological Information

No Data Available

Section 12. Ecological Information

No Data Available

Section 13. Disposal

WASTE DISPOSAL METHOD: For proper disposal of waste, refer to federal and state regulations.

Section 14. Transport Information

UN Number 1824
UN Proper Shipping Name Sodium Hydroxide, solution
DOT Classification 8 Corrosive
Packing Group PGII
FREIGHT CLASS 55

Section 15. Regulatory Information

Ingredient(s) - U.S. Regulatory 2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Acute Health Hazard SARA - Chronic Health Hazard SARA - Fire Hazard

Ingredient(s)-State Regulations 2-BUTOXYETHANOL New Jersey - Work Place Hazard, Enviromental Hazard, Special Hazard Pennsylvania - Work Place Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance SODIUM HYDROXIDE New Jersey - Workplace Hazard New Jersey - Special Hazard Pennsylvania - Workplace Hazard Pennsylvania - Enviromental Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance

Section 16. Other Information

Revision Date 00/00/00
NFPA Health: 3 Fire: 0 Reactivity: 1
HMIS Rating Health: 3 Fire: 0 Reactivity: 1 Personal Protective: B
DISCLAIMER: The information contained herein is believed to be accurate and is offered in good faith. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Mixing this product with any other materials may change the characteristics such as flash point, flammability or health effects. Because product use is beyond our control, no warranty is given, expressed or implied.