



## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 1 of 14

### Predator Tire

#### SECTION 1: Identification

##### Product identifier

**Product name:** Predator Tire

**Product code:** TR-125

##### Recommended use of the product and restriction on use

**Relevant identified uses:** Tire and Wheel Cleaner, Foaming Detergent

**Uses advised against:** NA

**Reasons why uses advised against:** Not determined or not applicable.

##### Manufacturer or supplier details

**Manufacturer:**

**United States**

JBS Industries

2550 Henkle Drive

Lebanon, Ohio 45036

513-228-2800

SBAETEN@JBSINDUSTRIES.COM

##### Emergency telephone number:

**North America**

CHEMTREC

800-424-9300 (24 hours)

#### SECTION 2: Hazard(s) identification

##### GHS classification:

Skin corrosion, category 1A

Serious eye damage, category 1

Carcinogenicity, category 2

Specific target organ toxicity - repeated exposure, category 2

##### Label elements

###### Hazard pictograms:



**Signal word:** Danger

##### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H351 Suspected of causing cancer.

H373 May cause damage to organs.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 2 of 14

## Predator Tire

### Precautionary statements:

- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P202 Do not handle until all safety precautions have been read and understood
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P363 Wash contaminated clothing before reuse
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P314 Get medical advice/attention if you feel unwell
- P405 Store locked up
- P501 Dispose of contents/container to...

Hazards not otherwise classified: None

### SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 527-07-1	Sodium gluconate	<20
CAS number: 1310-58-3	Potassium hydroxide	<20
CAS number: 68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	<20
CAS number: 1310-73-2	Sodium hydroxide	<20
CAS number: 7758-29-4	Pentasodium triphosphate	<20
CAS number: 64-02-8	Tetrasodium ethylenediamine tetraacetate	<20
CAS number: 111-76-2	2-Butoxyethanol	<20
CAS number: 9004-82-4	2-dodecoxyethyl hydrogen sulfate	<20
CAS number: 68131-39-5	Alcohols, C12-15, ethoxylated	<20
CAS number: 61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	<20
CAS number: 1300-72-7	Sodium xylenesulfonate	<20
CAS number: 68131-40-8	Alcohols, secondary C11-15, ethoxylated	<20

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 3 of 14

## Predator Tire

CAS number: 84133-50-6	Alcohols, C12-14-secondary, ethoxylated	<20
---------------------------	---	-----

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Show this Safety Data Sheet to the doctor in attendance

#### After inhalation:

If inhaled, move to fresh air. Get medical attention if symptoms persist

#### After skin contact:

Wash off immediately with soap and plenty of water while removing contaminated clothing and shoes. Continue rinsing for at least 15 minutes. See a physician if irritation persists

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present to do so. Protect unexposed eye. Continue rinsing. Get medical attention if irritation develops or persists

#### After swallowing:

If Swallowed, DO NOT induce vomiting unless directed otherwise by a medical professional. Rinse mouth with water. Never give anything to an unconscious person. Seek medical attention

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Symptoms may include blistering, irritation, burns and pain. Effects are dependent on exposure (dose, concentration, contact time)

Symptoms of overexposure may include disorientation, dizziness and confusion. May progress to unconsciousness, paralysis and convulsions. Effects are dependent on exposure (dose, concentration, contact time)

#### Delayed symptoms and effects:

Chronic effects are delayed and symptoms may not be observed during an exposure

### Immediate medical attention and special treatment

#### Specific treatment:

None known

#### Notes for the doctor:

Treat symptomatically

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Alcohol- resistant foam, Dry chemical or Carbon dioxide

#### Unsuitable extinguishing media:

None known

### Specific hazards during fire-fighting:

Evacuate all personnel to a predetermined safe location, no less than 2,500 feet in all directions. Can explode or detonate under fire conditions. Burning material may produce toxic vapors

### Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 4 of 14

## Predator Tire

### Special precautions:

Avoid inhaling gases, fumes, mist, dust, vapor or aerosols. Avoid contact with eyes, skin, hair or clothing

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS

### Environmental precautions:

Avoid release to the environment. Prevent soil and water pollution. Prevent spreading in sewers. Notify authorities if product enters sewers or public waters

Avoid discharge into drains, water courses or onto the ground. Prevent further leakage if safe to do so. Inform authorities if spill cannot be contained

Keep material out of lakes, streams, ponds, and sewer drains

### Methods and material for containment and cleaning up:

Carefully sweep material into a designated PLASTIC waste container. Collect in plastic containers only  
Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb, restate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13

### Reference to other sections:

For further information refer to section 7 and section 13

For personal protection see section 8

## SECTION 7: Handling and storage

### Precautions for safe handling:

Avoid breathing dust/ fume/ gas/mist/vapors/spray. Keep away from all sources of ignition. Avoid contact with skin and eyes.

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Store in cool and dry location and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use. Keep away from food and beverages. Protect from freezing and physical damage.

## SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Potassium hydroxide	1310-58-3	TWA: 2 mg/m <sup>3</sup>
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	TWA: 20 ppm
NIOSH	Potassium hydroxide	1310-58-3	REL: 2 mg/m <sup>3</sup>
	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m <sup>3</sup> (REL)
	Sodium hydroxide	1310-73-2	IDLH: 10 mg/m <sup>3</sup>

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 5 of 14

## Predator Tire

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	2-Butoxyethanol	111-76-2	IDLH: 700 ppm
	2-Butoxyethanol	111-76-2	TWA: 5 ppm
OSHA	Sodium hydroxide	1310-73-2	8-Hour TWA-PEL: 2 mg/m <sup>3</sup>
	2-Butoxyethanol	111-76-2	TWA: 50 ppm
	2-Butoxyethanol	111-76-2	TWA: 240 mg/m <sup>3</sup>

### Biological limit values:

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Not determined or not applicable.

### Appropriate engineering controls:

Effective ventilation in all processing areas.

### Personal protection equipment

#### Eye and face protection:

Safety goggles or safety glasses with side shields

#### Skin and body protection:

Chemical resistant clothing and gloves

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory protection

### General hygienic measures:

Handle in accordance with good industrial hygiene and safety measures. Wash hands and face after handling chemical products. Wash hands before eating, drinking and smoking. Wash hands at the end of the workday. Appropriate techniques should be applied to remove contaminated clothing and shoes. Wash contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Liquid
Odor	Std.
Odor threshold	Not determined or not available.
pH	14
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 6 of 14

## Predator Tire

<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	Not determined or not available.
<b>Auto/Self-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>Dynamic viscosity</b>	Not determined or not available.
<b>Kinematic viscosity</b>	Not determined or not available.
<b>Explosive properties</b>	Not determined or not available.
<b>Oxidizing properties</b>	Not determined or not available.

### Other information

## SECTION 10: Stability and reactivity

### Reactivity:

Does not react under normal conditions of use and storage.

### Chemical stability:

Stable under normal storage and handling conditions.

### Possibility of hazardous reactions:

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to avoid:

Incompatible materials.

### Incompatible materials:

Strong oxidizing agents.

### Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

### Substance data:

Name	Route	Result
Potassium hydroxide	oral	LD50 Rat: 333 mg/kg
Tetrasodium ethylenediamine tetraacetate	oral	LD50 mouse: 1210 mg/kg
2-Butoxyethanol	oral	LD50 Rat: 470 mg/kg
	dermal	LD50 Rabbit: 220 mg/kg
	inhalation	LC50 Rat: 450 ppmV (4H)

### Skin corrosion/irritation

#### Assessment:

Causes severe skin burns and eye damage.

#### Product data:

No data available.

#### Substance data:

Name	Result
------	--------

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 7 of 14

## Predator Tire

Name	Result
Potassium hydroxide	Causes severe skin burns.
Sodium hydroxide	Corrosive to the skin.
Pentasodium triphosphate	Causes skin irritation.
2-Butoxyethanol	Causes skin irritation
2-dodecoxyethyl hydrogen sulfate	Causes skin irritation.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Causes skin irritation.
Sodium xylenesulfonate	Causes skin irritation.
Alcohols, C12-14-secondary, ethoxylated	Causes skin irritation.

### Serious eye damage/irritation

**Assessment:**

Causes serious eye damage.

**Product data:**

No data available.

**Substance data:**

Name	Result
D-Glucopyranose, oligomers, decyl octyl glycosides	Causes serious eye damage.
Sodium hydroxide	Corrosive effect on the eyes.
Pentasodium triphosphate	Causes serious eye irritation.
Tetrasodium ethylenediamine tetraacetate	Causes serious eye damage.
2-Butoxyethanol	Causes eye irritation
2-dodecoxyethyl hydrogen sulfate	Causes serious eye irritation.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Causes serious eye irritation.
Sodium xylenesulfonate	Causes serious eye irritation.
Alcohols, C12-14-secondary, ethoxylated	Causes serious eye damage.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
2-Butoxyethanol	Eye irritation - 24 h
	Skin irritation - 20 h

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 8 of 14

## Predator Tire

Name	Result
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	May cause an allergic skin reaction.

### Carcinogenicity

#### Assessment:

Suspected of causing cancer.

**Product data:** No data available.

**Substance data:** No data available.

#### International Agency for Research on Cancer (IARC):

Name	Classification
2-Butoxyethanol	Group 3

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

Name	Result
2-Butoxyethanol	Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:

No data available.

#### Substance data:

Name	Result
Pentasodium triphosphate	May cause respiratory irritation.
Sodium xylenesulfonate	May cause respiratory irritation.

### Specific target organ toxicity (repeated exposure)

#### Assessment:

May cause damage to organs through prolonged or repeated exposure.

#### Product data:

No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

#### Product data:



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 9 of 14

## Predator Tire

No data available.

**Substance data:** No data available.

### Information on likely routes of exposure:

No data available.

### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### Other information:

No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
2-Butoxyethanol	EC50 Daphnia magna (Water flea): 1,550 mg/L (48 h)

### Chronic (long-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

#### Substance data:

Name	Result
Alcohols, C12-15, ethoxylated	NOEC Fathead minnow: 0.16 mg/L (10 days)
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	NOEC Oncorhynchus mykiss: 0.16 mg/L (28 days)

### Persistence and degradability

**Product data:** No data available.

#### Substance data:

Name	Result
D-Glucopyranose, oligomers, decyl octyl glycosides	Readily biodegradable.
Tetrasodium ethylenediamine tetraacetate	Biodegradable, but not ready biodegradable.
Alcohols, C12-15, ethoxylated	Readily biodegradable.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Readily biodegradable.

### Bioaccumulative potential

**Product data:** No data available.

#### Substance data:

Name	Result
Sodium hydroxide	The substance has a low potential for bioaccumulation.
Tetrasodium ethylenediamine tetraacetate	The projected equilibrium BCF values were similar to those observed in the plateau test and, again, serve to emphasize the extremely low bioconcentration potential of EDTA.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 10 of 14

## Predator Tire

Name	Result
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not expected to bioaccumulate.

### Mobility in soil

**Product data:** No data available.

#### Substance data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	The extent of absorption of EDTA on container walls and humic acid, silica, kaolin, river sediment and humus solids was measured and was found to be negligible.
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Moderate to slow migration potential to ground water.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations


### Disposal methods:

It is the responsibility of the waste generator to characterize all waste materials according to applicable regulatory entities

**Contaminated packages:** Not determined or not applicable.

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	1824
UN proper shipping name	Sodium Hydroxide Solution
UN transport hazard class(es)	8 
Packing group	II
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
-----------	---------------

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 11 of 14

## Predator Tire

<b>UN proper shipping name</b>	Not regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	None
<b>Special precautions for user</b>	None

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

527-07-1	Sodium gluconate	Listed
1310-58-3	Potassium hydroxide	Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Listed
1310-73-2	Sodium hydroxide	Listed
7758-29-4	Pentasodium triphosphate	Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Listed
111-76-2	2-Butoxyethanol	Listed
9004-82-4	2-dodecoxyethyl hydrogen sulfate	Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Listed
1300-72-7	Sodium xylenesulfonate	Listed
68131-40-8	Alcohols, secondary C11-15, ethoxylated	Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Listed

#### Significant New Use Rule (TSCA Section 5):

111-76-2	2-Butoxyethanol	Listed
----------	-----------------	--------

**Export notification under TSCA Section 12(b):** Not determined.

**SARA Section 302 extremely hazardous substances:** Not determined.

#### SARA Section 313 toxic chemicals:

527-07-1	Sodium gluconate	Not Listed
1310-58-3	Potassium hydroxide	Not Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
1310-73-2	Sodium hydroxide	Not Listed
7758-29-4	Pentasodium triphosphate	Not Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Not Listed
111-76-2	2-Butoxyethanol	Not Listed
9004-82-4	2-dodecoxyethyl hydrogen sulfate	Not Listed

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 12 of 14

### Predator Tire

61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed
1300-72-7	Sodium xylenesulfonate	Not Listed
	Alcohols, secondary C11-15, ethoxylated	Not Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Not Listed

#### CERCLA:

1310-58-3	Potassium hydroxide	Listed	1000 lb
1310-73-2	Sodium hydroxide	Listed	1000 lbs

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** Not determined.

#### Massachusetts Right to Know:

527-07-1	Sodium gluconate	Not Listed
1310-58-3	Potassium hydroxide	Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
1310-73-2	Sodium hydroxide	Listed
7758-29-4	Pentasodium triphosphate	Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed
9004-82-4	2-dodecoxyethyl hydrogen sulfate	Not Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed
1300-72-7	Sodium xylenesulfonate	Not Listed
	Alcohols, secondary C11-15, ethoxylated	Not Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Not Listed

#### New Jersey Right to Know:

527-07-1	Sodium gluconate	Not Listed
1310-58-3	Potassium hydroxide	Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
1310-73-2	Sodium hydroxide	Listed
7758-29-4	Pentasodium triphosphate	Not Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 13 of 14

### Predator Tire

9004-82-4	2-dodecoxyethyl hydrogen sulfate	Not Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed
1300-72-7	Sodium xylenesulfonate	Not Listed
	Alcohols, secondary C11-15, ethoxylated	Not Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Not Listed

#### New York Right to Know:

527-07-1	Sodium gluconate	Not Listed
1310-58-3	Potassium hydroxide	Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
1310-73-2	Sodium hydroxide	Listed
7758-29-4	Pentasodium triphosphate	Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed
9004-82-4	2-dodecoxyethyl hydrogen sulfate	Not Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed
1300-72-7	Sodium xylenesulfonate	Not Listed
	Alcohols, secondary C11-15, ethoxylated	Not Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Not Listed

#### Pennsylvania Right to Know:

527-07-1	Sodium gluconate	Not Listed
1310-58-3	Potassium hydroxide	Listed
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	Not Listed
1310-73-2	Sodium hydroxide	Listed
7758-29-4	Pentasodium triphosphate	Listed
64-02-8	Tetrasodium ethylenediamine tetraacetate	Not Listed
111-76-2	2-Butoxyethanol	Listed
9004-82-4	2-dodecoxyethyl hydrogen sulfate	Not Listed
61789-40-0	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	Not Listed

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 05.23.2019

Page 14 of 14

## Predator Tire

1300-72-7	Sodium xylenesulfonate	Not Listed
	Alcohols, secondary C11-15, ethoxylated	Not Listed
84133-50-6	Alcohols, C12-14-secondary, ethoxylated	Not Listed

**California Proposition 65:** None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 0-0-0

**Initial preparation date:** 05.23.2019

**End of Safety Data Sheet**