



Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 1 of 14

Revision date: 05.18.2023

Thick and Foamy

SECTION 1: Identification

Product identifier

Product name: Thick and Foamy

Product code: DT-150

Recommended use of the product and restriction on use

Relevant identified uses: High Foaming Detergent

Uses advised against: NA

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

JBS Industries

2726 Henkle Drive

Lebanon, Ohio 45036

513-228-2800

SBAETEN@JBSINDUSTRIES.COM

Emergency telephone number:

North America

CHEMTREC

800-424-9300 (24 hours)

SECTION 2: Hazard identification

GHS classification:

Skin irritation, category 2

Serious eye damage, category 1

Carcinogenicity, category 1

Reproductive toxicity, category 1

Label elements

Hazard pictograms:



Signal Word: Danger

Hazard statements:

H315 Causes skin irritation

H318 Causes serious eye damage

H350 May cause cancer

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 2 of 14

Revision date: 05.18.2023

Thick and Foamy

H360 Toxic if swallowed

Precautionary statements:

P264 Wash Contaminated area thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P302+P352 IF ON SKIN: Wash with plenty of water for 15 minutes.

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor if difficulty in breathing occurs.

P308+P313 IF exposed or concerned: Get medical advice/attention

P362+P364 Take off contaminated clothing and wash it before reuse

P405 Store locked up

P501 It is the responsibility of the waste generator to properly characterize all waste materials according to regulatory entities.

Hazards not otherwise classified:

None

Reactivity with Water

In contact with water, releases gases which are if inhaled.

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivatives	1-96
CAS number: 1310-73-2	Sodium hydroxide	1-45
CAS number: 9004-82-4	2-dodecoxyethyl hydrogen sulfate	1-10
CAS number: 68603-42-9	Amides, coco, N,N-bis(hydroxyethyl)	1-10
CAS number: 1300-72-7	Sodium Xylenesulfonate	1-10
CAS number: 68131-39-5	Alcohols, C12-15, ethoxylated	1-10
CAS number: 75-21-8	Ethylene oxide	<0.036
CAS number: 123-91-1	1,4-dioxane	<0.036

Additional Information: None

SECTION 4: First-aid measures

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 3 of 14

Revision date: 05.18.2023

Thick and Foamy

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Not determined or not available.

After eye contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

After ingestion:

Not determined or not available.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Immediate medical attention and special treatment

Specific treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Not determined or not applicable.

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Not determined or not applicable.

Special protective equipment for firefighters:

Not determined or not applicable.

Special precautions:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 4 of 14

Revision date: 05.18.2023

Thick and Foamy

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Respiratory protection may be necessary for spills greater than 5 gallons.. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

Environmental precautions:

Not determined or not applicable.

Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 5 of 14

Revision date: 05.18.2023

Thick and Foamy

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Alberta	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	8-Hour TWA: 1.8 mg/m ³ (1 ppm)
	1,4-dioxane	123-91-1	8-Hour TWA: 72 mg/m ³ (20 ppm)
Manitoba	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	8-Hour TWA: 1 ppm
	1,4-dioxane	123-91-1	8-Hour TWA: 20 ppm
Ontario	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	15-Minute STEL: 18 mg/m ³ (10 ppm)
	Ethylene oxide	75-21-8	8-Hour TWA: 1.8 mg/m ³ (1 ppm)
	1,4-dioxane	123-91-1	8-Hour TWA: 20 ppm
Quebec	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	8-Hour TWA: 1.8 mg/m ³ (1 ppm)
	1,4-dioxane	123-91-1	8-Hour TWA: 72 mg/m ³ (20 ppm)
British Columbia	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	15-Minute STEL: 1 ppm
	Ethylene oxide	75-21-8	8-Hour TWA: 0.1 ppm
	1,4-dioxane	123-91-1	8-Hour TWA: 20 ppm
Saskatchewan	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	15-Minute Contamination Limit: 2 ppm
	Ethylene oxide	75-21-8	8-Hour Contamination Limit: 1 ppm
	1,4-dioxane	123-91-1	15-Minute Contamination Limit: 30 ppm
	1,4-dioxane	123-91-1	8-Hour Contamination Limit: 20 ppm
New Brunswick	Sodium hydroxide	1310-73-2	Ceiling Limit: 2 mg/m ³
	Ethylene oxide	75-21-8	8-Hour TWA: 1 ppm
	1,4-dioxane	123-91-1	8-Hour TWA: 20 ppm

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Not determined or not applicable.

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 6 of 14

Revision date: 05.18.2023

Thick and Foamy

Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

Not determined or not applicable.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Liquid
Odor:	Std.
Odor threshold:	Not determined or not available.
pH-value:	7
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 7 of 14

Revision date: 05.18.2023

Thick and Foamy

Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Benzenesulfonic acid, C10-16-alkyl derivatives	inhalation	LC50 Rat: >1.9 mg/L (4 h [aerosol])
	Dermal ATE	LD50 Rabbit: 1100 mg/kg
	Oral ATE	LD50 Rat: 500 mg/kg
2-dodecoxyethyl hydrogen sulfate	oral	LD50 Rat: 1600 mg/kg
Alcohols, C12-15, ethoxylated	oral	LD50 Rat: > 2000 mg/kg
Sodium hydroxide	oral	LD50 Rat: 140-340 mg/kg
	dermal	LD50 Rabbit: 1350 mg/kg
Amides, coco, N,N-bis(hydroxyethyl)	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
Sodium Xylenesulfonate	dermal	LD50 Rabbit: >= 2000 mg/kg
	oral	LD50 Rat: >= 3346 mg/kg
Ethylene oxide	Inhalation ATE	LC50 Rat: 700 ppmV (4 hr (Gas))
	Oral ATE	LD50 Rat: 100 mg/kg
1,4-dioxane	oral	LD50 Rat: 5150 mg/kg
	dermal	LD50 Rabbit: 7600 mg/kg
	inhalation	LC50 Rat: 9158 ppmV (4 hr - Vapor)

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 8 of 14

Revision date: 05.18.2023

Thick and Foamy

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
Sodium hydroxide	Causes severe skin burns.
2-dodecoxyethyl hydrogen sulfate	Causes skin irritation.
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes severe skins burns.
Alcohols, C12-15, ethoxylated	Causes skin irritation.
Amides, coco, N,N-bis(hydroxyethyl)	Causes skin irritation.
Ethylene oxide	Causes severe skin burns.

Serious eye damage/irritation

Assessment:

Causes serious eye damage.

Product data:

No data available.

Substance data:

Name	Result
Sodium hydroxide	Causes serious eye damage.
2-dodecoxyethyl hydrogen sulfate	Causes serious eye irritation.
Sodium Xylenesulfonate	Causes serious eye irritation.
Benzenesulfonic acid, C10-16-alkyl derivatives	Causes serious eye damage.
Alcohols, C12-15, ethoxylated	Causes serious eye damage.
Amides, coco, N,N-bis(hydroxyethyl)	Causes serious eye damage.
Ethylene oxide	Causes serious eye damage.
1,4-dioxane	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment:

May cause cancer.

Product data: No data available.

Substance data:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 9 of 14

Revision date: 05.18.2023

Thick and Foamy

Name	Species	Result
Amides, coco, N,N-bis(hydroxyethyl)		There is inadequate evidence in humans for the carcinogenicity of this substance. Cancer in experimental animals: There is sufficient evidence in experimental animals for the carcinogenicity of this substance.
Ethylene oxide		May cause cancer.
1,4-dioxane		May cause cancer. 1,4-dioxane is characterized as "likely to be carcinogenic to humans." This characterization is based on the following findings: (1) inadequate evidence of carcinogenicity in humans, and (2) sufficient evidence in animals (i.e., hepatic tumors in multiple species [three strains of rats, two strains of mouse, and in guinea pigs] mesotheliomas of the peritoneum, mammary, and nasal tumors have also been observed in rats following 2 years of oral exposure to 1,4- dioxane). U.S. Environmental Protection Agency's Integrated Risk Information System (IRIS).

International Agency for Research on Cancer (IARC):

Name	Classification
2-dodecoxyethyl hydrogen sulfate	Not Applicable
Alcohols, C12-15, ethoxylated	Not Applicable
Sodium hydroxide	Not Applicable
Amides, coco, N,N-bis(hydroxyethyl)	Group 2B
Sodium Xylenesulfonate	Not Applicable
Benzenesulfonic acid, C10-16-alkyl derivatives	Not Applicable
Ethylene oxide	Group 1
1,4-dioxane	Group 2B

National Toxicology Program (NTP):

Name	Classification
2-dodecoxyethyl hydrogen sulfate	Not Applicable
Sodium hydroxide	Not Applicable
Amides, coco, N,N-bis(hydroxyethyl)	Not Applicable
Sodium Xylenesulfonate	Not Applicable
Benzenesulfonic acid, C10-16-alkyl derivatives	Not Applicable
Ethylene oxide	Known to be human carcinogens
1,4-dioxane	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 10 of 14

Revision date: 05.18.2023

Thick and Foamy

Substance data:

Name	Result
Ethylene oxide	May cause genetic defects.

Reproductive toxicity

Assessment:

May damage fertility or the unborn child.

Product data:

No data available.

Substance data:

Name	Result
Ethylene oxide	May damage fertility. Suspected of damaging the unborn child.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Ethylene oxide	May cause respiratory irritation.
	May cause drowsiness or dizziness.
1,4-dioxane	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Name	Result
Ethylene oxide	Studies on the effects of Ethylene oxide have concluded not only neurotoxic symptoms in humans, but also measured effects on nerve conduction velocities indicative of sensorimotor neuropathy, and axonal degeneration observed in nerve biopsies of exposed workers.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 11 of 14

Revision date: 05.18.2023

Thick and Foamy

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Alcohols, C12-15, ethoxylated	Aquatic Invertebrates EC50 Daphnia magna: 0.143 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: 0.031 mg/L (72 hr [growth rate])
	Fish LC50 Pimephales promelas: 0.628 mg/L (96 hr, QSAR)
Sodium hydroxide	Fish LC50 Gambusia affinis: 125 mg/L (96 hr)
	Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr [immobilization])
Amides, coco, N,N-bis(hydroxyethyl)	Aquatic Plants EC50 Algae: 2.9 mg/L (72 hr [growth rate])
Sodium Xylenesulfonate	Aquatic Plants EC50 Selenastrum capricornutum: ≥ 758 mg/L (96 hr [growth rate; read-across])
	Fish LC50 Oncorhynchus mykiss: ≥ 1580 mg/L (96 hr [read-across])
	Aquatic Invertebrates EC50 Daphnia magna: > 1020 mg/L (48 hr [mobility; read-across])
Ethylene oxide	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 240 mg/L (96 h, read-across substance data)
	Aquatic Invertebrates LC50 Daphnia magna: 212 mg/L (48 h)
	Fish LC50 Pimephales promelas: 84 mg/L (96 h)
1,4-dioxane	Fish LC50 Pimephales promelas: 9850 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 1000 mg/L (48 hr)
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: > 1000 mg/L (72 hr)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Alcohols, C12-15, ethoxylated	Aquatic Invertebrates NOEC Daphnia magna: 0.036 mg/L (21 d)
Amides, coco, N,N-bis(hydroxyethyl)	Aquatic Plants NOEC Algae: 1.25 mg/L (72 hr [growth rate])
1,4-dioxane	Fish NOEC Pimephales promelas: 145 mg/L (32 d)
	Aquatic Invertebrates NOEC Daphnia magna: 1000 mg/L (21 d)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Alcohols, C12-15, ethoxylated	Substance is readily biodegradable (61% degradation after 28 days).
Benzenesulfonic acid, C10-16-alkyl derivatives	Under test conditions no biodegradation observed.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 12 of 14

Revision date: 05.18.2023

Thick and Foamy

Name	Result
Sodium hydroxide	Persistence and degradability studies do not apply to inorganic substances.
Sodium Xylenesulfonate	The substance is readily biodegradable. 83 - 85% degradation, measured by CO ₂ evolution, after 28 days.
Ethylene oxide	Readily biodegradable (96% degradation after 28 days, measured by TOC removal).
1,4-dioxane	Not readily biodegradable (< 10 % degradation after 29 days, measured by CO ₂ evolution).

Bioaccumulative potential

Product data: No data available.

Substance data:

Name	Result
Sodium hydroxide	Bioaccumulation is not expected based on the substance's high water solubility. In addition, sodium is a naturally-occurring element that is prevalent in the environment and to which organisms are exposed regularly, for which they have some capacity to regulate the concentration in the organism.
Alcohols, C12-15, ethoxylated	Substance is not expected to bioaccumulate due to a rapid biotransformation and excretion.
Amides, coco, N,N-bis(hydroxyethyl)	Substance is expected to have low potential for bioaccumulation.
Ethylene oxide	Low potential for bioaccumulation (logK _{ow} = -0.3).
1,4-dioxane	Does not accumulate in aquatic organisms (mean BCF: 0.45).

Mobility in soil

Product data: No data available.

Substance data:

Name	Result
Sodium hydroxide	The substance has a high water solubility. As the dilution of the substance increases, its speed of movement through soil increases. During movement through soil, some ion exchange will occur.
Alcohols, C12-15, ethoxylated	Substance is moderately mobile then it has a moderate potential for adsorption to soil and sediment [K _{oc} at 20 °C: 200.1].
Amides, coco, N,N-bis(hydroxyethyl)	Substance is expected to have low sorption to soil, and mobility in soil [estimated log K _{oc} : 1.60].
1,4-dioxane	Significant adsorption to solid soil phase is not expected (calculated log K _{oc} : 0.51 at 25 °C).

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Alcohols, C12-15, ethoxylated	Substance is not PBT.
Sodium hydroxide	PBT assessment does not apply to inorganic substances.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 13 of 14

Revision date: 05.18.2023

Thick and Foamy

Sodium Xylenesulfonate	The substance is not PBT.
Ethylene oxide	This substance is not PBT.
1,4-dioxane	Under assessment as Persistent, Bioaccumulative and Toxic (PBT list).

vPvB assessment:

Alcohols, C12-15, ethoxylated	Substance is not vPvB.
Sodium hydroxide	vPvB assessment does not apply to inorganic substances.
Sodium Xylenesulfonate	The substance is not vPvB.
Ethylene oxide	This substance is not vPvB.
1,4-dioxane	This substance is not vPvB.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.15.2019

Page 14 of 14

Revision date: 05.18.2023

Thick and Foamy

Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL): All ingredients are listed or exempt.

Non-domestic substances list (NDSL): None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.15.2019

Revision date: 05.18.2023

End of Safety Data Sheet